

# **INDEX**

- **03** OUR STORY/DESIGN FIRE
- **04** BEV® TECHNOLOGY
- 05 NET ZERO®
- **06** AUTOMATIC BEV® FIREPLACES
- 40 ELECTRIC FIREPLACES
- 44 GAS FIREPLACES
- 54 OUTDOOR COLLECTION



## BEV® TECHNOLOGY

### GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

### PLANIKA AUTOMATIC FIRE



### HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

## NET ZERO®

### CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true  $CO_2$  - neutral fireplaces of the future

### WHAT IS FANOLA FUEL?



- √ 96% ethanol concentration
- ✓ odourless and clean combustion
- ✓ plant-origin distillate
- particulate-free
- ✓ multi-distillated
- pharmaceutical quality
- 🧹 natural, golden flame

### HOW ARE PLANIKA'S BEV® FIREPLACES CO, NEURAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process

and the most natural fire. The clean burning of ethanol vapours emits only a small amount of  ${\rm CO}_2$  – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



### **WORK WITH PROFFESIONALS**



TECHNICAL TRAININGS



ARCHITECT ZONE WITH 3D MODELS



PROJECT SUPPORT






AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

### **INDOOR ETHANOL FIRES**


**AUTOMATIC ETHANOL FIREPLACE** (Net Zero® fireplace with BEV® Technology)



### FIRE LINE AUTOMATIC 3 (FLA3 BURNER)



### FIRE LINE AUTOMATIC 3+ (FLA3+ BURNER)




#### **FEATURES**


- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA3+)
- Smart Home System compatible
- Top finish:
  - -Black powder coating (standard)
  - -Stainless steel (optional)
  - -RAL colour (optional)

### **OPTIONAL ACCESSORIES**


- Glass screens
- Decorative tray with logs or stones
- Smart Home System module

### **ARRANGEMENT OPTIONS**

















ROOM DIVIDER

790 mm 990 mm 1190 mm 1490 mm 1990 mm 2490 mm max. 4.4 kW max. 7.0 kW max. 9.4 kW max. 13.0 kW max. 18.0 kW max. 22.5 kW 4.3 L / 14.7 L 6.8 L / 21.0 L 8.6 L / 26.8 L 11.7 L / 36.3 L 14.8 L / 45.9 L max. 9.0 h / 29.0 h max. 10.0 h / 31.0 h max. 11.0 h / 35.0 h max. 11.0 h / 35.0 h max. 12.0 h / 36.0 h max. 12.0 h / 36.0 h min 44 m<sup>3</sup>min. 70 m<sup>3</sup>min 94 m<sup>3</sup> min. 130 m<sup>3</sup> min. 180 m<sup>3</sup> min.  $225 \, \text{m}^3$ 24.1 kg / 32.0 kg 27.5 kg / 38.5 kg 33.0 kg / 44.0 kg 39.5 kg / 52.5 kg 49.5 kg / 67.5 kg 58.5 kg / 81.5 kg 230 V

### FORMA FIREPLACE (with FLA3 / FLA3+ burner)



#### **FEATURES**

- FLA3/FLA3+ technical features
- Zero clearance installation in combustible materials
- Heat deflector mount TV above the fireplace
- 6 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

### **OPTIONAL ACCESSORIES**

- Decorative tray with logs or stones
- Smart Home System module

### ARRANGEMENT OPTIONS



SINGLE-SIDED













 ${f R}{f O}{f O}{f M}{f D}{f I}{f V}{f I}{f D}{f E}{f R}$ 

	FORMA FIREPLACE WITH FLA3 / FLA3+ BURNER					
MARIAN	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm	BURNER 1490 mm FIREPLACE 1800 mm	BURNER 1990 mm FIREPLACE 2300 mm	BURNER 2490 mm FIREPLACE 2700 mm
+4+	FLA3 4.3 L FLA3+ 13.4 L	FLA3 5.5 L FLA3+ 17.2 L	FLA3 6.8 L FLA3+ 21.0 L	FLA3 8.6 L FLA3+ 26.8 L	fla3 11.7 L fla3+ 36.3 L	FLA3 14.8 L FLA3+ 45.9 L
<b>L</b>	FLA3 max. 9.0 h FLA3+ max. 29.0 h	FLA3 max. 10.0 h FLA3+ max. 31.0 h	FLA3 max. 11.0 h FLA3+ max. 35.0 h	FLA3 max. 11.0 h FLA3+ max. 35.0 h	FLA3 max. 12.0 h FLA3+ max. 36.0 h	FLA3 max. 12.0 h FLA3+ max. 36.0 h
	min. 44 m³	min. 70 m <sup>3</sup>	min. 94 m <sup>3</sup>	min. 130 m <sup>3</sup>	min. 180 m³	min. 225 m <sup>3</sup>
Ž.	230 V					

THREE-SIDED




























AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



### PANORAMA FIREPLACE



### **FEATURES**

- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- Finish: black powder coating
- Smart Home System compatible


### OPTIONAL ACCESSORIES


- Decorative logs or stones
- Smart Home System module





	PANORAMA
WINE THE	BURNER 990 mm
+ <b>()</b> +	max. 7.0 kW
	5.51
	max. 10.0 h
; \$\infty\$	min. 70 m³
, ix	230 V





AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



### STONE CORE



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Smart Home System compatible

### **OPTIONAL ACCESSORIES**

• Smart Home System module

### AVAILABLE FINISHING VARIANTS

- 3 finishing options by Cosentino: Silestone Gris or Dekton Laurent and Daze
- Stone Core for custom-build housing

### ULTRACOMPACT STONE BY COSENTINO

### STONE GRIS / LAURENT / DAZE



	STONE CORE / GRIS / LAURENT / DAZE
+4+	max. 5 kW
	13,4 L
	max. 29 h
1	min. 50 m <sup>3</sup>
j.	230 V



BEV
BURNING
ETHANOL
VAPOURS
TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

### **ROCK CORE**



### **FEATURES**

- Easy refilling replacable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included

### **AVAILABLE FINISHING VARIANTS**

- 3 finishing options by Cosentino:
   Silestone Gris or Dekton Laurent and Daze
- Rock Stone Core for custom-build housing

ULTRACOMPACT STONE BY COSENTINO

### ROCK GRIS / LAURENT / DAZE



	ROCK CORE / GRIS / LAURENT / DAZE		
+4+	max. 3.5 kW		
<b>(4)</b>	5 L		
<b>L</b> D	max. 33 h		
	min. $35\mathrm{m}^3$		
, K	230 V		



BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

### PRIME FIRE 700 BURNER




#### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Top finish: black powder coating

### **OPTIONAL ACCESSORIES**

• Glass screens

### PRIME FIRE 990+ BURNER



#### **FEATURES**


- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Top finish: black powder coating

### **OPTIONAL ACCESSORIES**


- Glass screens
- Decorative tray with logs or stones

### **ARRANGEMENT OPTIONS**


















PRIME FIRE 700 BURNER max. 4.4 kW max. 7.0 kW 1.9 L max. 4.5 h max. 10.0 h min. 44 m<sup>3</sup>  $min.\,70\;m^3$ 12.3 kg 27.5 kg 230 V

### **INDOOR ETHANOL FIRES**

**AUTOMATIC ETHANOL FIREPLACE** (Net Zero® fireplace with BEV® Technology)

### PRIME FIRE 700 FIREPLACE



#### **FEATURES**

- Prime Fire 700 technical features
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

#### **OPTIONAL ACCESSORIES**

• Decorative frame

### FORMA FIREPLACE (with Prime Fire 990+ burner)



- Prime Fire 990+ technical features
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Zero clearance
- Finish: black powder coating

### **OPTIONAL ACCESSORIES**

• Decorative tray with logs or stones

### ARRANGEMENT OPTIONS (for Forma Fireplace with Prime Fire 990+ Burner)





LEFT CORNER













	PRIME FIRE 700 FIREPLACE	FORMA FIREPLACE WITH PF 990+ BURNER	
MARKE	BURNER 700 mm / FIREPLACE 784 mm	BURNER 990 mm / FIREPLACE 1200 mm	
	max. 4.4 kW	max. 7.0 kW	
٥	1.9 L	5.51	
10	max. 4.5 h	max. 10.0 h	
	min. 44 m³	min. 70 m³	
i	18.0 kg	~71 kg	
Š.	23	ov	







BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

### RONDO AUTOMATIC BURNER



### **FEATURES**

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatibile

### **OPTIONAL ACCESSORIES**

• Smart Home System module


	RONDO AUTOMATIC
+4+	max. 3.1 kW
۵	4,5 L
	max. 30 h
	min. 31 m³
, it	230 V



### **INDOOR ETHANOL FIRES**

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

### **BOX DAZE / LAURENT**



### **FEATURES**

- 4 burner options:
  - FLA3 990
  - FLA3+ 990
  - Prime Fire 700

  - Prime Fire 990+
- Technical features of chosen burner
- 4 high glass panels included to stabilize the fire
- Freestanding
- Remote Control
- Finishing options by Cosentiono: Dekton Daze or Laurent

ULTRACOMPACT STONE BY COSENTINO



	BOX DAZE / BOX LAURENT			
				PRIME FIRE 990+
+4+	max. 7.0 kW	max. 7.0 kW	max. 4.4 kW	max. 7.0 kW
6	5.5 L	17.2 L	1.9 L	5.5 L
10	max. 10.0 h	max. 31.0 h	max. 4.5 h	max. 10.0 h
	min. 70 m <sup>3</sup>	min. 70 m <sup>3</sup>	min. 44 m³	min. 70 m³
i	81.5 kg	92.5 kg	66.3 kg	81.5 kg
<i>i</i> k	230 V			



AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



### **NEO** BURNER



#### **FFATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

### **OPTIONAL ACCESSORIES**

Decorative grate with logs

### **NEO** FIREPLACE



### **FEATURES**

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

### **DETACHABLE SIDE PANELS**







### **OPTIONAL ACCESSORIES**

Decorative grate with logs


	NEO BURNER	NEO FIREPLACE
+4+	5 kW	5 kW
0	2.6 L	2.61
	4.5 h	4.5 h
	min. 50 m <sup>3</sup>	min. 50 m <sup>3</sup>
i	14.5 kg	29.5 kg
, ix	23	ov



BEV BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

### SENSO BURNER



### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

### **OPTIONAL ACCESSORIES**

• Decorative grate with logs

### **SENSO BASKET**



### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Decorative grate with logs included

### SENSO FIREPLACE



### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

### **DETACHABLE SIDE PANELS**







### **OPTIONAL ACCESSORIES**

• Decorative grate with logs

	SENSO BURNER	SENSO BASKET	SENSO FIREPLACE
+4+	max. 2,5 kW	max. 2,5 kW	max. 2,5 kW
٥	1.3 L	1.3 L	1.3 L
	max. 4.5 h	max. 4.5 h	max. 4.5 h
	min. $25\mathrm{m}^3$	min. 25 m³	min. 25 m³
i	10 kg	13 kg	23 kg
, SK	230 V	230 V	230 V





AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



### **BASKET FIRE LOGS**



### FEATURES

- Automatic refilling system
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

### OPTIONAL ACCESSORIES

Decorative grate

### SCANDI



#### FFATURES

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

### OPTIONAL ACCESSORIES

Decorative logs or pebbles

	BASKET FIRE LOGS	SCANDI
+4+	max. 2.8 kW	max. 4.1 kW
	1.75 L	5.0 L
6	max. 6.5 h	max. 33 h
1	min. 28 m <sup>3</sup>	min. 41 m³
	14.5 kg	62.0 kg
, K	23	0 V





1 1

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

### L-FIRE BURNER



### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

### L-FIRE FIREPLACE



### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

### **OPTIONAL ACCESSORIES**

• Optional frame or frame + mesh

### PURE FLAME FIREPLACE



### **FEATURES**

- Automatic refilling system
- Insert for installation in furniture
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

	L-FIRE BURNER	L-FIRE FIREPLACE	PURE FLAME FIREPLACE
+4+	max. 4.4 kW	max. 4.4 kW	max. 5 kW
۵	6.01	6.01	5.0 L
	max. 13 h	max. 13 h	max. 12.0 h
1	min. $44  \mathrm{m}^3$	$\text{min.}44\text{m}^3$	min. $50~\mathrm{m}^3$
	15.2 kg	27 kg	18.6 kg
, K		230 V	








### **INDOOR ELECTRIC FIRES**

### **ASTRO FIREPLACE**



#### **OPTIONAL ACCESSORIES**



### **DETACHABLE SIDE PANELS (INCLUDED IN SET)**








RIGHT CORNER





	ASTRO			
MANA	850 mm	1200 mm	1500 mm	1800 mm
i	42.0 kg	59.0 kg	72.5 kg	85.0 kg
٠.	Two-stage heating power: 1500 W & 3000 W			
j.	230 V			







### **INDOOR GAS FIRES**

LINEAR GAS FIREPLACE (Balanced Flue System)

### VALENTINO FIREPLACE



### **FEATURES**

- NG or LPG gas
- Modular Burner
- Remote control
- Smart Home System compatible
- Thermostat
- Ceramic glass
- Back wall finish: -Black matte steel (standard)
- Decorative accessories: -Logs, vermiculite & chips (included)

### **OPTIONAL ACCESSORIES**











### **ARRANGEMENT OPTIONS**











1000 mm 1300 mm (NG) max. 6.4 kW (NG) max. 8.5 kW (LPG) max. 6.7 kW (LPG) max. 7.4 kW (NG) max.  $0.9 \, \text{m}^3/\text{h}$ (NG) max.  $1.2 \, \text{m}^3/\text{h}$ (LPG) max. 0.7 kg/h (LPG) max. 0.78 kg/h Concentric flue 200/130 230 V

### **INDOOR GAS FIRES**

**CAMPFIRE GAS FIREPLACE** (Balanced Flue System)

### VALENTINO FIREPLACE



### **FEATURES**

- NG or LPG gas
- Modular Burner
- Remote control
- Smart Home System compatible
- Thermostat
- Ceramic glass
- Back wall finish: -Black matte steel (standard)
- Decorative accessories: -Logs, vermiculite & chips (included)

### OPTIONAL ACCESSORIES







### ARRANGEMENT OPTIONS



SINGLE-SIDED







LEFT CORNER

RIGHT CORNER

		MONROE
	٠.	(NG) max. 8.3 kW (LPG) max. 9.2 kW
	GAS	(NG) max. 1.2 m³/h (LPG) max. 0.96 kg/h
	Ø.	Concentric flue
	*	230 V


 $<sup>{}^{\</sup>star}$  For single sided arrangement only

 $<sup>{}^{\</sup>star}$  For single sided arrangement only

### **INDOOR GAS FIRES**

LINEAR GAS FIREPLACE (Conventional Flue System)

### SINATRA FIREPLACE



### **FEATURES**

- NG or LPG gas
- Custom length and shape
- Remote control
- Smart Home System compatible
- Back wall finish: -Black matte steel
- Decorative accessories: -Black vermiculite (included)
- Ceramic glass

### **OPTIONAL ACCESSORIES**











### ARRANGEMENT OPTIONS









RIGHT CORNER











ROOM-DIVIDER




 $<sup>^{\</sup>star} \text{Antireflective}$  glass available only for 1200, 1600 and 2000 length















# OUTDOOR / INDOOR ETHANOL FIRES AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



### CABO BURNER



### CABO GRIS / LAURENT / DAZE

### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

### **OPTIONAL ACCESSORIES**

Protective fabric cover

#### **AVAILABLE FINISHING VARIANTS**

- 3 finishing options by Cosentino: Silestone Gris or Dekton Laurent and Daze
- SCabo Burner for custom-build housing

ULTRACOMPACT STONE BY **COSENTINO** 



### PORTO GRIS / LAURENT / DAZE



### **FEATURES**

- Automatic refilling system
- Remote control
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable includes wheels

### **OPTIONAL ACCESSORIES**


Protective fabric cover

### AVAILABLE FINISHING VARIANTS

• 3 finishing options by Cosentino: Silestone Gris or Dekton Laurent and Daze

### ULTRACOMPACT STONE BY **E COSENTINO**

	CABO	PORTO
+4+	max. 9.4 kW	max. 3.7 kW
٥	51	5 L
<b>1</b> 0	max. 8 h	max. 14 h
	min. 94 m³ (if used indoors)	min. 37 m³ (if used indoors)
, K	230 V	





# OUTDOOR / INDOOR ETHANOL FIRES COMMERCE TECHNOLOGY<sup>TM</sup> (Absorbent Ceramic Fibers)




### **FEATURES**

- Easy refilling system
- Safe burning technology
- No electricity required

### **OPTIONAL ACCESSORIES**




	ТОТЕМ	JAR	RONDO	SIMPLE
WILLIAM .	[ØxH] 395 x 1070 mm	[ØxH] 410 x 795 mm	[ØxH] 412 x 412 mm	[ØxH] 308 x 418 mm
i	24.5 kg	41.5 kg	7.0kg	6.5 kg
+4+	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
٥	3.0 L	3.0 L	3.0 L	1.5 L
	max. 7 h	max. 7 h	max. 7 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³



GAS FIREPLACES (With automatic control system)

### GALAXY 1150 / 2000 BURNER



### **FEATURES**

- Automatic control system
- Remote control
- Smart home compatible
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

### **AVAILABLE VARIANTS**

- 4 finishing options:
  - Dekton Laurent and Daze by Cosentino
  - Corten or black steel
- Galaxy Burner for custom-build housing

#### Calaxy Bullet for costern bulla heading




### GALAXY BLACK / CORTEN / DAZE / LAURENT



### **OPTIONAL ACCESSORIES**




	GALAXY 1150 BURNER / BLACK / CORTEN / DAZE / LAURENT	GALAXY 2000 BURNER
<b>.</b>	(NG) max. 10.1kW (LPG) max. 13.4kW	(NG) max. 18.6 kW (LPG) max. 22 kW
GAS	(NG) max. 0.96 m $^3$ /h (LPG) max. 0.95 kg/h	(NG) max. 1.77 m³/h (LPG) max. 1.56 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar



 $oxed{b}$ 

GAS FIREPLACES (With manual control system)

### GALIO INSERT MANUAL



### GALIO CORTEN/GALIO BLACK MANUAL



### **FEATURES**

- 2 fuel variants: Gas Cylinder (propane or propanebutane mixture) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation
- For custom-build housing
- Easy to install



CONTROL

### **FEATURES**

- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation
- Freestanding



CONTRO

### **OPTIONAL ACCESSORIES**



	GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL		
+4+	(NG) max. 13.6 kW (LPG) max. 11.8 kW		
GAS	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h		
GAS	(NG) 20 mbar (LPG) 37 mbar		
i	31.0 kg		





GAS FIREPLACES (With automatic control system)

### GALIO FIRE PIT INSERT AUTOMATIC



## GALIO FIRE PIT CORTEN/BLACK AUTOMATIC



### **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-build housing
- Easy to install

#### **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Freestanding

### OPTIONAL ACCESSORIES



	GALIO FIRE PIT INSERT AUTOMATIC	GALIO FIRE PIT CORTEN AUTOMATIC GALIO FIRE PIT BLACK AUTOMATIC
+4+	(NG) max. 4.7 kW (LPG) max. 5.1 kW	
GAS	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	
0	(NG) 20 mbar (LPG) 37 mbar	
i	15.0 kg	65.0 kg





GAS FIREPLACES (With automatic control system)

### GALIO STAR INSERT AUTOMATIC



## GALIO STAR CORTEN/BLACK AUTOMATIC



### **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-build housing
- Easy to install

### **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Freestanding

### **OPTIONAL ACCESSORIES**



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC	
+4+	(NG) max. 16.4 kW (LPG) max. 17.3 kW		
GAS	(NG) max. 1.5 m³/h   53.0 ft³/h (LPG) max. 1.4 kg/h   3.1 lbs/h		
(i)	(NG) 20 mbar   8.0°wc (LPG) 37 mbar   14.9°wc		
i	17.0 kg / 37.5 lbs	37.0 kg / 81.6 lbs	





GAS FIREPLACES (With automatic and manual control system)

### GALIO H INSERT AUTOMATIC

LIGHTHOUSE



### **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-build housing

### **OPTIONAL ACCESSORIES**







#### FEATUREC

- Fueled with propane or propane-butane mixture
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding


### OPTIONAL ACCESSORIES






	GALIO H INSERT AUTOMATIC	LIGHTHOUSE
+4+	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(LPG) max. 7.0 - 10.0 kW
GAS	(NG) max. $1.0~{\rm m}^3/{\rm h}$ (LPG) max. $0.9~{\rm kg/h}$	(LPG) max. 0.50 - 0.65 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar
i	23.6 kg	27.5 kg









All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

© Copyright 2022, Planika Sp. z o.o. All rights reserved.

# planika

PLANIKA planika@planika.com www.planika.com facebook.com/planikafire
instagram.com/planikafires
youtube.com/planikafires

pinterest.com/planika
Inkedin.com/in/planika

